# Bacteria TMDL Development for the Banister River Basin

**Local Steering Committee Meeting #1** 

**Mary Bethune Office Complex** 

Halifax, VA


**January 25, 2007** 



## **Objective:**

 To present and review the <u>steps</u> and the <u>data</u> used in the development of bacteria TMDLs for listed segments in the Banister River Basin.

## **Bacteria Impairments**




| TMDL ID     | Stream Name       | Miles | Impairment for                              | Violation Rate                   |
|-------------|-------------------|-------|---|----------------------------------|
| VAC-L65R-01 | Banister River    | 11.67 | Total Fecal Coliform                        | 2/18                             |
| VAC-L67R-01 | Banister River    | 13.18 | E. Coli                                     | 4/16                             |
| VAC-L65R-02 | Bearskin Creek    | 9.31  | E. coli                                     | 2/7                              |
| VAC-L66R-01 | Cherrystone Creek | 8.44  | Total Fecal Coliform                        | 1/8                              |
| VAC-L71R-05 | Polecat Creek     | 9.66  | Total Fecal Coliform                        | 3/13                             |
| VAC-L70R-01 | Sandy Creek       | 11.78 | Total Fecal Coliform                        | 3/19                             |
| VAC-L69R-01 | Stinking River    | 8.99  | Total Fecal Coliform                        | 3/20                             |
| VAC-L68R-01 | Whitehorn Creek   | 24.73 | E. coli (2006), Total Fecal Coliform (2002) | E. coli - 2/8 Fecal Coliform 1/8 |

# **Bacteria Water Quality Standards**

- Bacteria Impairment: the Primary Contact Recreation designated use is not met due to exceedances of the water quality criterion for bacteria
- A segment is listed as impaired if more than 10% of samples exceed the criteria
- As of January 15, 2003, E. coli is used as the indicator species instead of Fecal Coliform
- Virginia and EPA have agreed on a translator for TMDL model development

## Bacteria TMDL Development




## Water Quality Model

#### <u>Hydrologic Simulation Program Fortran (HSPF)</u>

- >Hydrologic Model
- >Watershed Model
- ➤ State of the art Modeling System
- >EPA approved approach

#### **HSPF Model**

#### **Linking Sources to Water Quality**



#### **Bacteria Sources Assessment**

#### Addresses the following issues related to bacteria production:


- Bacteria loading from <u>Human Sources</u>
  - Straight pipesSeptic systemsBiosolids
- Bacteria loading from <u>Livestock</u>Livestock inventory


  - Livestock grazing and stream access
     Confined animal facilities


  - Manure management
- **Bacteria loading from Wildlife**Wildlife Inventories
- Bacteria loading from Pets
  - Pet Inventories:
- **Best management practices (BMPs)**


#### **Human Contribution**

Fecal Coliform Decay









#### **Source Loading Estimates**

- Determine the daily fecal coliform production by source
- Estimate the size/number of each source
- Determine whether the source is
  - **➢ Direct Source**
  - **►** Indirect Source
- <u>Calculate</u> the load to each land use based on a monthly schedule and for each source
- The sum of all the individual sources is the total load
- Source loading estimates used in HSPF model to simulate in-stream bacteria concentrations

## Data Needs


### **Data and Information Needs:**

- Watershed physiographic data
- Hydrographic data
- Weather data
- Point sources and direct discharge data and information
- Environmental monitoring data
- Stream flow data
- Bacteria sources assessment data

## Watershed physiographic data:

| Type of Information                 | Data Source  | Obtained | Processed/<br>Analyzed | Notes                   |
|-------------------------------------|--|----------|------------------------|-------------------------|
| Stream network                      | Reach File Version 3 (US EPA BASINS)<br>National Hydrography Data (USGS) | Yes      | Yes                    |                         |
| Land Use/ Land<br>Cover data        | National Land Cover Data (NLCD) 2001                                     | Yes      | Yes                    |                         |
| Soils                               | USDA State Soil Geographic Database<br>(STATSGO)                         | Yes      | Yes                    |                         |
| Digital<br>Elevation Model<br>(DEM) | BASINS   | Yes      | Yes                    | 10-meter DEM resolution |

## **Banister River Watershed Land Use**



**Dominate Land Use Types:** 

**Forest: 40%** 

Agricultural: 25%

#### Bacteria Sources Assessment data:

| Type of<br>Information                                  | Data Source   | Obtained    | Processed/<br>Analyzed |
|---|---|-------------|------------------------|
| Population/<br>Household/<br>Septic System<br>Estimates | U.S. Census Bureau  | Yes         | Yes                    |
| Livestock<br>estimates/<br>agricultural<br>practices    | USDA National Agricultural Statistics Service<br>Soil and Water Conservation Districts<br>Virginia Department of Health | In Progress | In Progress            |
| Wildlife<br>estimates                                   | Virginia Department of Game and Inland Fisheries  | Yes         | Yes                    |
| Pet Estimates   | U.S. Census Bureau<br>National pet estimates per household  | Yes         | Yes                    |
| Active and historical industrial site locations         | Virginia Department of Environmental Quality<br>Local agencies and stakeholders   | Yes         | Yes                    |

# Population Estimates and Sewage Disposal

#### **Based on 2000 United States Census Data:**

- Population in the watershed is approximately <u>24.910</u> people
- There are approximately 10,030 households within the watershed
- Approximately <u>7.950</u> households in the watershed are on septic systems
- Assuming a septic system failure rate of 3%, <u>240</u> septic systems may be failing.
- Failed septic systems are considered straight pipes if located within 200 feet of a stream and are assumed to be directly discharging sewage into the stream
- Septic system design flow is 75 gal per person per day

#### **Livestock Estimates**

| Livestock Estimates          | Halifax | Pittsylvania | Total  |
|------------------------------|---------|--------------|--------|
| Cattle and calves inventory  | 3,956   | 17,962       | 21,918 |
| Beef cows                    | 2,380   | 8,504        | 10,884 |
| Milk cows                    | 44      | 1,392        | 1,436  |
| Cattle and calves sold       | 1,904   | 15,771       | 17,675 |
| Hogs and pigs inventory      | 2,728   | 1,526        | 4,254  |
| Sheep and lambs inventory    | 23      | 116          | 139    |
| Chickens                     | 2,0000  | 0            | 20,000 |
| Horses and ponies, inventory | 199     | 869          | 1,068  |

Livestock numbers are based on the 2002 US Agricultural Census data, the chicken numbers are based on permit information provided by VADEQ, and the horse numbers were based on the 2001 VA Agricultural Statistics Equine report.

## Wildlife Estimates

| Wildlife Animal | Halifax | Pittsylvania | Total  |
|-----------------|---------|--------------|--------|
| Deer            | 5,092   | 11,500       | 16,591 |
| Raccoon         | 2,640   | 5,654        | 8,294  |
| Muskrat         | 11,407  | 24,435       | 35,842 |
| Beaver          | 1,244   | 2,666        | 3,910  |
| Goose           | 101     | 329          | 430    |
| Mallard         | 8       | 18           | 26     |
| Wood duck       | 7       | 16           | 23     |
| Wild Turkey     | 1,030   | 2,292        | 3,322  |

Estimates are based on NLCD 2001 land use data and distribution estimates from DGIF

## Pet Estimates

#### Pet inventories based on:

- 0.543 Dogs per household\*
- 0.598 Cats per household\*

In the Banister River Watershed there are approximately:

- 5,447 Dogs
- 5,998 Cats

\*Source: American Veterinary Medical Association (AVMA) estimates

# Banister River Point Source Inventory

(VA Department of Environmental Quality)

| Category               | Permit Type                      | Count (Active or Application) |
|------------------------|----------------------------------|-------------------------------|
| VPDES                  | Industrial                       | 1                             |
|                        | Municipal                        | 10                            |
| Canaval Dawnita        | Single Family Domestic<br>Sewage | 9                             |
| <b>General Permits</b> | VPA*                             | 9                             |
|                        | Poultry                          | 1                             |
| Total                  |                                  | 30                            |

<sup>\*</sup>Permits are issued for animal feeding operations with 300 or more animal units

#### **Next Steps**

- Collecting additional available data
- Analyzing data to investigate the bacteria impairments in the watershed
- Developing:
  - > bacteria source loading estimates
  - >modeling input parameters:
    - Hydrology and water quality
  - >TMDL scenarios
- Submitting Draft TMDL Report

#### **Local TMDL Contacts**



Lauren Theodore
TMDL Coordinator

#### Virginia Department of Environmental Quality

South Central Regional Office 7705 Timberlake Road Lynchburg, VA 24502

<u>lmtheodore@deq.virginia.gov</u>

Phone: (434) 582 - 6216 Fax: (434) 582 - 5125

Reports/presentations available at:

www.deq.virginia.gov/tmdl/mtgppt.html

The Louis Berger Group, Inc.

Raed M. EL-Farhan (202) 331-2645

relfarhan@louisberger.com